



# GreenUp Round Highbay

## BY518P LED260/NW PSU WB GM

Lens

The GreenUp Round Highbay range of luminaires provides the optimal balance between basic performance and price. The family covers a wide product range with a variety of options, competitive specifications and long-term quality and reliability. The range is suitable for most industrial applications.

## **Product data**

Mechanical and housing	
Housing material	Aluminium
Optical cover/lens material	Polycarbonate
Optical cover/lens finish	Matte
Overall height	99 mm
Overall diameter	358 mm
Effective projected area	0.06 m <sup>2</sup>
Colour	Grey
Dimensions (height x width x depth)	99 x NaN x NaN mm
Approval and application	
Ingress protection code	IP65 [ Dust penetration-protected, jet-proof]
Mech. impact protection code	IK06 [ 1 J]
Initial performance (IEC compliant)	
Initial luminous flux (system flux)	26000 lm
Luminous flux tolerance	+/-10%
Initial LED luminaire efficacy	139 lm/W

## GreenUp Round Highbay

Lamp colour temperature	4000 K
Colour Rendering Index	>80
Initial chromaticity	(0.385, 0.380) SDCM<5
Initial input power	187 W
Power consumption tolerance	+/-10%
Application conditions	
Ambient temperature range	-20 to +45 °C
Dreduct data	

871951453660999

Order product name	BY518P LED260/NW PSU WB GM
EAN/UPC – product	8719514536609
Order code	911401647807
SAP numerator – quantity per pack	1
Numerator – packs per outer box	2
SAP material	911401647807
Net Weight (Piece)	2.990 kg



#### Product data

Full product code

### **Dimensional drawing**



BY518P LED260/NW PSU WB GM



© 2022 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2022, August 10 - data subject to change